E 3510-22-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 660

[Docket No. 210518-0108]

RIN 0648-BK60

Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast

Groundfish Fishery; 2021-2022 Biennial Specifications and Management Measures;

Correction

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and

Atmospheric Administration (NOAA), Commerce.

ACTION: Final rule; correcting amendment.

SUMMARY: This action contains corrections to the final rule for the 2021-2022

Biennial Harvest Specifications and Management Measures for groundfish harvested in

the U.S. exclusive economic zone off the coasts of Washington, Oregon, and California

published on December 11, 2020. This action corrects: the seaward boundary of the non-

trawl Rockfish Conservation Area, the southern boundary of the trawl Rockfish

Conservation Area, the salmon troll incidental limits title, and republishes two trip limit

tables that had text inadvertently cut off.

DATES: This final rule is effective on [INSERT DATE OF PUBLICATION IN THE

FEDERAL REGISTER].

ADDRESSES: Electronic Access: This rule is accessible via the Internet at the Office of

the Federal Register Web site at https://www.federalregister.gov. Background

information and documents are available at the Pacific Fishery Management Council's

website at http://www.pcouncil.org/.

FOR FURTHER INFORMATION CONTACT: Keeley Kent, phone: 206-247-8252

or e-mail: keeley.kent@noaa.gov.

SUPPLEMENTARY INFORMATION:

Background

The Pacific Coast Groundfish Fishery Management Plan (PCGFMP) and its implementing regulations at title 50 in the Code of Federal Regulations (CFR), part 660, subparts C through G, regulate fishing for over 90 species of groundfish off the coasts of Washington, Oregon, and California. The Pacific Fishery Management Council (Council) develops groundfish harvest specifications and management measures for two-year periods (*i.e.*, a biennium). NMFS published the final rule to implement harvest specifications and management measures for the 2021-2022 biennium for most species managed under the PCGFMP on December 11, 2020 (85 FR 79880). NMFS also published a correction (85 FR 86853, December 31, 2020) and a correcting amendment (86 FR 14379, March 16, 2021) to implement the Council's recommendations for the 2021-2022 harvest specifications and management measures.

Non-Trawl Rockfish Conservation Area Correction

The final rule, published on December 11, 2020 (85 FR 79880), included a typographical error in the seaward boundary line of the Non-Trawl Rockfish Conservation Area (RCA) south of 34°27' N. lat. in Table 2 (South) to Subpart E. The final rule mistakenly amended the seaward boundary of the non-trawl RCA described for the limited entry fixed gear fishery in a way that was inconsistent with the Council-recommended boundaries and was also contradictory to the boundaries of the non-trawl RCA described in open access fishery regulations. This final rule will correct the seaward boundary from the boundary line approximating the 125 fathom (fm) depth contour to the boundary line approximating the 150 fm depth contour. At the April 8-9 and 12-15, 2021 virtual meeting, the Council recommended that this correction be implemented quickly to

resolve inconsistencies within the regulations, reduce confusion among members of industry, and to promote ease of enforcement for the boundaries of the non-trawl RCA.

Trawl Rockfish Conservation Area Correction

The final rule also included a typographical error in the southern boundary line of the Trawl RCA in Table 1 (North) to part 660, subpart D. The final rule mistakenly amended the southern boundary of the trawl RCA in a way that was inconsistent with the Council-recommended boundaries that were established previously under Amendment 28 to the PCGFMP (84 FR 63966; November 19, 2019) and were not recommended for change through the 2021-2022 harvest specifications rulemaking. This final rule will correct the southern boundary from 45°46' N. latitude to 46°16' N. latitude, which aligns with the Washington/Oregon border.

Salmon Troll Incidental Allowance Correction

The final rule included a typographical error in the salmon troll incidental limits title in Table 3 South to Subpart F. The table in the final rule incorrectly referenced incidental retention of yellowtail and incidental retention of lingcod in the title of the section. Salmon trollers are not allowed to retain incidentally caught lingcod south of 40°10' N. latitude, as was correctly described in the description of the limit. This correction of the title would address that inconsistency.

Other Errors in Table Readability

This correction also republishes Table 2 North and Table 3 South as the final rule had a row of cut off text in each.

Classification

Pursuant to 5 U.S.C. 553(b)(B), the Assistant Administrator for Fisheries (AA) finds there is good cause to waive prior notice and an opportunity for public comment on this action, as notice and comment would be unnecessary and contrary to public interest.

Notice and comment are unnecessary and contrary to the public interest because this

action corrects inadvertent errors related to the December 11, 2020 final rule (85 FR 79880). Immediate correction of the errors is necessary to prevent confusion among participants in the fishery. To effectively correct the errors, the changes in this action must be effective upon publication as the fishery has already begun. Thus, there is not sufficient time for notice and comment. In addition, notice and comment is unnecessary because this notice makes only minor changes to correct inadvertent errors related to the December 11, 2020 final rule (85 FR 79880). These corrections will not affect the results of analyses conducted to support management decisions in the Pacific Coast groundfish fishery. These corrections are consistent with the Council's intent for regulations and the

public expects the regulations to be written as in the correction. No change in operating

For the same reasons stated above, the AA has determined good cause exists to waive the 30-day delay in effectiveness pursuant to 5 U.S.C. 553(d). This notice makes only minor corrections to the final rule which was effective January 1, 2021. Delaying effectiveness of these corrections would result in conflicts in the regulations and confusion among fishery participants. Because prior notice and an opportunity for public comment are not required to be provided for this rule by 5 U.S.C. 553, or any other law, the analytical requirements of the Regulatory Flexibility Act, 5 U.S.C. 601 *et seq.*, are not applicable. Accordingly, no Regulatory Flexibility Analysis is required for this rule and none has been prepared.

This final rule is not significant under Executive Order 12866.

This final rule contains no information collection requirements under the Paperwork Reduction Act of 1995.

List of Subjects in 50 CFR Part 660

practices in the fishery is required.

Fisheries, Fishing, and Indian Fisheries.

Dated: May 18, 2021.

Samuel D. Rauch, III

Deputy Assistant Administrator for Regulatory Programs,

National Marine Fisheries Service.

For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

PART 660—FISHERIES OFF WEST COAST STATES

1. The authority citation for part 660 continues to read as follows:

Authority: 16 U.S.C. 1801 et seq., 16 U.S.C. 773 et seq., and 16 U.S.C. 7001 et seq.

2. Revise Table 1 (North) to part 660, subpart D, to read as follows:

	able 1 (North) to Part 660, Subpart D Lir pecies and Pacific Whiting North of 40°10	-	awl Rockfish	Conservation	n Areas and La	nding Allowa	nces for no	n-IFQ	
	This table describes Rockfish Conservation Are registered to a Federal limited entry trawl permit								
	Other Limits and Requirements Apply Read §	660.10 - § 660.39	9 before using t	his table			05	/10/2021	
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
Ro	ockfish Conservation Area (RCA) ^{1/} :	· · · · · · · · · · · · · · · · · · ·			•				
1	North of 46°16' N. lat.			100 fm line ^{1/}	- 150 fm line ^{1/}				
2	2 46°16' N. lat 40°10' N. lat.	Block Area Closures (BACs) may be implemented, and will be announced in the Federal Register.							
gea	ar switching provisions at § 660.140, are subject to ar used. Vessels fishing groundfish trawl quota poun try fixed gear non-trawl RCA, as described in Tables ee § 660.60, § 660.130, and § 660.140 for Additiona 660.76-660.79 for Conservation Area Descriptions State trip limits and seasons may be	nds with groundfish 2 (North) and 2 (S all Gear, Trip Limit, s and Coordinate	n non-trawl gears South) to Part 660 , and Conservat s (including RC	under gear switch), Subpart E. ion Area Require As, YRCA, CCAs	ements and Restri	\$ 660.140, are sulctions. See §§ 6	bject to the limi		
_		e more restrictive t	ınan rederai irip ii	mits, particularly if	n waters on Orego	n and Calliomia.			
3	Minor Nearshore Rockfish, Washington Black rockfish & Oregon Black/blue/deacon rockfish			300 lb	/ month				
4	Whiting ^{3/}							Z	
5	5 midwater trawl	the RCA. See §660.131 for season and trip limit details. — After the primary whiting season: CLOSED.							
6	6 large & small footrope gear	Before the primary whiting season: 20,000 lb/trip During the primary season: 10,000 lb/trip After the primary whiting season: 10,000 lb/trip.							
7	7 Oregon Cabezon/Kelp Greenling complex			50 lb/	month				
8	Cabezon in California	50 lb/ month							
9	Spiny dogfish			60,000	lb/ month				
10	9 Big skate			Unli	mited				
11	Longnose skate			Unli	mited				
12	Other Fish 4/	Unlimited							
1/ 7	The Rockfish Conservation Area is an area closed to	o fishing by particu	ılar gear types, b	ounded by lines sp	pecifically defined	by latitude and lon	gitude		
	coordinates set out at §§ 660.71-660.74. This RC/	•				•			
	that are deeper or shallower than the depth contour	. Vessels that are	subject to the R	CA restrictions ma	ay not fish in the R	CA, or operate in	the		
2/7	RCA for any purpose other than transiting.	aantain natuule	f 41: -	DCA					
	The "modified" fathom lines are modified to exclude				akon and retains	nossossed or la	ndod		
SI F	As specified at §660.131(d), when fishing in the Eure by a vessel that, at any time during the fishing trip, 1					possessed, or lar	iu c u		
4/ "	"Other Fish" are defined at § 660.11 and include kelp				iii oorkoul.				
	convert pounds to kilograms, divide by 2.20462,								

3. Revise Table 2 (North) to part 660, subpart E, to read as follows:

Та	ble 2 (North) to Part 660, Subpart E Non- Other limits and requirements apply Read				mits for Limite	d Entry Fixed Ge	ar North of 40°10' N 5/10/202		
_	Other limits and requirements apply Read	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
D,	ockfish Conservation Area (RCA) ^{1/} :	0/111122	1415 (1 7 (1 1)	10011	002700	021 001	NOV BEG		
	North of 46° 16' N. lat.			ab aralin a	100 fm line ^{1/}				
			shoreline - 100 fm line ^{1/} 40 fm line ^{1/} - 100 fm line ^{1/}						
- 46 16' N. lat 40 10' N. lat.									
3	See §§660.60 and 660.230 for additional go	an trin limit on	d concentation	30 fm line "-	40 fm line	00022 000	70 660 74 and		
	See 99660.60 and 660.230 for additional go								
3	3000.76-000.79 for conservation area desc	riptions and co	EFHCAs).	ullig RCAS, TRC	AS, CCAS, Fara	illoit islanus, con	ueli baliks, aliu		
_	State trip limits and seasons may be mo	re restrictive than		ts or seasons, par	rticularly in water	s off Oregon and	California.		
	Minor Slope Rockfish ^{3/} & Darkblotched			, , ,	,	·· -·			
4	rockfish	Ì		8,000 lb	/ 2 month				
5	Pacific ocean perch				/ 2 months				
6			1,700 I	b week, not to exc		2 months			
7	Longspine thornyhead		,	10,000 lb	/ 2 months				
8	Shortspine thornyhead		2,000 lb/ 2 montl	hs		2,500 lb/ 2 month	ns .		
9	Dover sole, arrowtooth flounder, petrale)		
	sole, English sole, starry flounder, Other	Ì		10,000 I	bs/ month		0		
	Flatfish ^{4/8/}						i		
_	Whiting				0 lb/ trip		,		
	Minor Shelf Rockfish ^{3/}		800 lbs / month						
_	Shortbelly Rockfish		200 lbs / month						
_	Widow rockfish				/ 2 month				
_	Yellowtail rockfish		3,000 lb/ month 3,000 lb/ 2 months						
	Canary rockfish Yelloweye rockfish				OSED SED		;		
	Minor Nearshore Rockfish, Oregon black	lblus/dssssssss	aldiah 9 CA bla		J3ED				
19	Minor Nearshore Rocktish, Oregon black	5 000 lb/ 2 m	cktish & CA bia	than 1 200 lb of w	hich may be sne	ecies other than bl	ack rockfish or		
20	North of 42°00' N. lat.	0,000 lb/ 2 l1	ionins, no more		on rockfish ^{4/}	colco otrici triari bi	ack rocklish of		
21	42 [°] 00' N. lat 40 [°] 10' N. lat.	7 000 lb/ 2	months no more			pecies other than I	block rockfish		
22		7,000 107 2	months, no more	5 (Hall 2,000 ID 0)	Willon Illay be s	pecies other than i	JIACK TOCKIISTI		
23				4 000 lb	/ 2 months				
24					/2 months				
_	Pacific cod				2 months				
				150,000 lb /					
26	Spiny dogfish	200,000 lk	o / 2months	2months	1	100,000 lb / 2mon	ths		
	Longnose skate			Unli	mited				
28	Other Fish ^{7/} & Cabezon in California			Unli	mited				
	Oregon Cabezon/Kelp Greenling			Unli	mited				
30	Big skate	·		Unli	mited				
1/	The Rockfish Conservation Area is an area closed to	fishing by particular	r gear types, bound	ed by lines specifica	lly defined by latitu	ıde			
	and longitude coordinates set out at §§ 660.71-660.	74. This RCA is no	t defined by depth	contours (with the ex	ception of the 20-f	m			
	depth contour boundary south of 42° N. lat.), and the	e boundary lines th	nat define the RCA	may close areas that	are deeper or sha	llower			
	than the depth contour. Vessels that are subject to	RCA restrictions m	ay not fish in the R	CA, or operate in the	RCA for any purp	ose			
	other than transiting.								
	Between 46°16' N. lat. and 40°10' N. lat. and the 30 fm and								
	Bocaccio, chilipepper and cowcod are included in the						pe Rockfish.		
	"Other flatfish" are defined at § 660.11 and include b								
we	For black rockfish north of Cape Alava (48°09.50' N. I ight of all fish on board, whichever is greater, per ves	sel, per fishing trip.	.(46°38.17' N. lat.),				100 lb or 30 percent by		
6/	The minimum size limit for lingcod is 22 inches (56 cm	n) total length North	n of 42° N. lat. and 2	24 inches (61 cm) to	al length South of	42° N. lat.			
7/	"Other Fish" are defined at § 660.11 and include kelp	greenling off Califo	ornia and leopard sl	hark.					

8/ LEFG vessels are allowed to fish inside groundfish conservation areas using hook and line only. See section 660.230 (d) of the regulations for more information.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

4. Revise Table 2 (South) to part 660, subpart E, to read as follows:

Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N.

Other limits and requirements apply Read	§§660.10 throug	h 660.399 before	using this table			5/10/2021
	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA) ^{1/} :						
1 40°10' N. lat 38°57.5' N. lat.			40 fm line ^{1/} -			
₂ 38°57.5' N. lat34°27' N. lat.			50 fm line ^{1/} -			
3 South of 34°27' N. lat.		100 fm line	e ^{1/} - 150 fm line ^{1/}	also applies arou	nd islands)	
See §§660.60 and 660.230 for additional g §§660.76-660.79 for conservation area desc	riptions and co	ordinates (inclu EFHCAs).	ding RCAs, YRC	As, CCAs, Farall	on Islands, Cord	dell Banks, and
State trip limits and seasons may be mo 4 Minor Slope rockfish ^{2/} & Darkblotched			s or seasons, par of which no more			
5 Splitnose rockfish	40,0	JOO ID/ Z IIIOITIIIS,		2 months	ay be blackgill foc	Alloli
6 Sablefish			40,000 15/	Z montro		
7 40°10' N. lat 36°00' N. lat.		1.700	o/week, not to exc	eed 5.100 lbs / 2	months	
8 South of 36 °00' N. lat.		,	2,500 I			
9 Longspine thornyhead			10,000 lb/	2 months		
10 Shortspine thornyhead						
11 40°10' N. lat 34°27' N. lat.	2	2,000 lb/ 2 month	IS	2	2,500 lb/ 2 month	IS
South of 34°27' N. lat.			3,000 lb/	2 months		
13 Dover sole, arrowtooth flounder, petrale			40.000	h/ month		
14 sole, English sole, starry flounder, Other 15 Flatfish 3/8/			10,000 I	טו וחסחנח		T A
16 Whiting			10,000	lh/ trin		
17 Minor Shelf Rockfish ^{2/}			10,000	по/ шр		
18 40°10' N. lat 34°27' N. lat.	8	3 000 lbs / 2 mor	iths, of which no r	nore than 500 lbs	may be vermilio	on
19 South of 34°27' N. lat.			ths, of which no m			
20 Widow		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		,	
21 40°10' N. lat 34°27' N. lat.			10.000 lbs.	/ 2 months		o
22 South of 34 °27' N. lat.			8.000 lbs.			
23 Chilipepper			.,	-		=======================================
24 40°10′ N. lat 34°27′ N. lat.			10 000 lbs	/ 2 months		
25 South of 34 27' N. lat.				/ 2 months		
26 Shortbelly Rockfish			0,000 150.	/ Z montro		
27 South of 40°10' N. lat.			200 lb/	month		
28 Canary rockfish				2 months		
29 Yelloweye rockfish				SED		
30 Cowcod				SED		
31 Bronzespotted rockfish 32 Bocaccio				SED		
32 Bocaccio 33 Minor Nearshore Rockfish			6,000 lbs/	2 monus		
34 Shallow nearshore ^{4/}			2 000 lbs	/ 2 months		
35 Deeper nearshore 5/				2 months		
36 California Scorpionfish				2 months		
37 Lingcod ^{6/}				/ 2 months		
38 Pacific cod				2 months		
39 Spiny dogfish	200 000 lb	o/ 2 months	150,000 lb/ 2	10	00,000 lb/ 2 mont	the
	200,000 10	7 Z IIIOIIIIIS	months		70,000 lb/ 2 l110l11	.115
40 Longnose skate			Unlir			
41 Other Fish ^{7/} & Cabezon in California			Unlir			
42 Big Skate			Unlir			
1/ The Rockfish Conservation Area is an area closed to and longitude coordinates set out at §§ 660.71-660.						
depth contour boundary south of 42° N. lat.), and the						
than the depth contour. Vessels that are subject to						
other than transiting.		,	,	, parpoo		
2/ POP is included in the trip limits for Minor Slope Roo						
Slope Rockfish cumulative limit. Yellowtail rockfish	are included in the	trip limits for Minor	Shelf Rockfish. Bron	zespotted rockfish		
have a species specific trip limit.						
3/ "Other Flatfish" are defined at § 660.11 and include b			acific sanddab, rex s	ole, rock sole, and	sand sole.	
4/ "Shallow Nearshore" are defined at § 660.11 under "6						
5/ "Deeper Nearshore" are defined at § 660.11 under "666666666666666666666666666666666666			N lat			
7/ "Other Fish" are defined at § 660.11 and include kelp						
8/ LEFG vessels are allowed to fish inside groundfish or				0.230 (d) of the regu	lations for more infe	ormation.
To convert pounds to kilograms, divide by 2.20462, the nur	mber of pounds in on	e kilogram.				

5. Revise Table 3 (South) to part 660, subpart F, to read as follows:

Tab	le 3 (South) to Part 660, Subpart F Non-Tr	awl Rockfish Cor	servation Areas	and Trip Limits fo	r Open Access Go	ears South of 40°	10' N. lat.	·
	Other limits and requirements apply Read §§	660.10 through 66	0.399 before usin	g this table				5/10/2021
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV	-DEC
Roc	kfish Conservation Area (RCA) ^{1/} :							
1	40°10' N. lat 38°57.5' N. lat.		•	40 fm line ^{1/} -	125 fm line ^{1/}		,	
2	38°57.5' N. lat34°27' N. lat.			50 fm line ^{1/} -	125 fm line ^{1/}			
3	South of 34°27' N. lat.		100 fm	line ^{1/} - 150 fm line ^{1/}	also applies aroun	d islands)		
	See §§660.60 and 660.230 for additional gea	r, trip limit and c					and §§60	60.76-
	660.79 for conservation area description							
	State trip limits and seasons may be	more restrictive th	an Federal trip lim	its or seasons, parti	cularly in waters of	f Oregon and Calif	ornia.	
4	Minor Slope Rockfish ^{2/} & Darkblotched rockfish	10	,000 lbs/ 2 month	s, of which no more	than 2,500 lbs ma	y be blackgill rock	fish	
5	Splitnose rockfish			200 lbs	month			
6	Sablefish							
7	40°10' N. lat 36°00' N. lat.	600 lb	s. daily, or 1 land	ing per week up to 2	2,000 lbs., not to ex	xceed 4,000 lbs/2	months	
8	South of 36°00' N. lat.		2,000) lbs/week, not to ex	ceed 6,000 lbs/2 n	nonths		
9	Shortpine thornyheads		,		.,			
10	40°10' N. lat 34°27' N. lat.			50lb/	month			
11	Longspine thornyheads							
12	40°10' N. lat 34°27' N. lat.			50 lb/	month			
	Shortpine thornyheads and longspine							
14	South of 34 °27' N. lat.		100) lbs/day, no more th	an 1 000 lhs/ 2 m	nnths		
	Dover sole, arrowtooth flounder, petrale			, iborday, no moro a	1411 1,000 1207 2 111	011010		
	sole, English sole, starry flounder, Other			5 000 lb	s/ month			
	Flatfish ^{3/8/}			0,000 12	0, 11101141			lά
	Whiting			300 lbs	/ month			
	Minor Shelf Rockfish ^{2/}							— п
20	40°10' N. lat 34°27' N. lat.		4 000 lbs / 2 m	onths, of which no r	nore than 400 lbs	may he vermilion		۵.
21	South of 34 27' N. lat.			onths, of which no m				
	Widow		0,000 100. 7 2 111		1010 111411 1,200100	may be reminen		
23	40°10' N. lat 34°27' N. lat.			6,000 lbs.	/ 2 months			
24					/ 2 months			
	South of 34 27' N. lat. Chilipepper			4,000 ibs.	/ 2 1110111115			=
26				2 222 11				
-	40 10' N. lat 34 27' N. lat.				/ 2 months			
27	South of 34 27' N. lat.			4,000 lbs.	/ 2 months			
	Shortbelly Rockfish			222 !!				
29	South of 40°10' N. lat. Canary rockfish				month			
	Yelloweye rockfish				2 months SED			
	Cowcod				SED			
	Bronzespotted rockfish				SED			
	Bocaccio			4,000 lbs/				
	Minor Nearshore Rockfish			4,000 IDS/	2 1110111113			
31	Shallow nearshore ^{4/}			2 000 lbe	/ 2 months			
32					2 months			
	Deeper nearshore ^{5/} California Scorpionfish			, , , , ,				
				3,500 lbs/				
	Lingcod ^{6/}				months			
35	Pacific cod				2 months			
	Spiny dogfish	200,000 lbs	s/ 2 months	150,000 lbs/ 2 months	1	00,000 lbs/ 2 mon	ths	
	Longnose skate			Unlir	nited			
	Big skate	·			nited			
39	Other Fish ^{7/} & Cabezon in California			Unlir	nited			

Ul	3 (South) Continued her limits and requirements apply Read §	\$660.10 through 66	0.399 before using	this table			5/10/20
	, , , , , , , , , , , , , , , , , , , ,	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockf	ish Conservation Area (RCA) ^{1/} :						
10 40	°10' N. lat 38°57.5' N. lat.			40 fm line ^{1/}	- 125 fm line ^{1/}		·
1 38	°57.5' N. lat34°27' N. lat.			50 fm line1/	- 125 fm line ^{1/}		
12 So	uth of 34 [°] 27' N. lat.		100 fm li	ne ^{1/} - 150 fm line ^{1/}	(also applies around	d islands)	
Se	e §§660.60 and 660.230 for additional ge 660.79 for conservation area descriptio		onservation area	requirements an	d restrictions. See	§§660.70-660.74	
3 SA	ALMON TROLL (subject to RCAs when re	taining all species o	f groundfish, exce	pt for yellowtail roo	kfish, as described	below)	
14	South of 40°10' N. lat.	with a cumulative li	mit of 200 lbs/mor nor shelf rockfish l are subject to the	oth, both within and between 40°10' an open access limits	vtail rockfish for ever I outside of the RCA d 34°27' N lat., and s, seasons, size limit	. This limit is with not in addition to	in the 4,000 lbs per that limit. All
5 RII	DGEBACK PRAWN AND, SOUTH OF 38 5	7.50' N. LAT., CA H	IALIBUT AND SE	A CUCUMBER NO	N-GROUNDFISH T	RAWL	
6 NC	N-GROUNDFISH TRAWL Rockfish Cons	ervation Area (RCA	A) for CA Halibut,	Sea Cucumber &	Ridgeback Prawn	1:	
47	40°10′ N. lat 38°00′ N. lat.	100 fm line ^{1/} - 200 fm line ^{1/}			- 150 fm line ^{1/}		100 fm line ^{1/} - 200 fm line ^{1/}
48	38 [°] 00' N. lat 34 [°] 27' N. lat.			100 fm line ^{1/}	- 150 fm line 1/		
9	South of 34 °27' N. lat.			100 fm line ^{1/}	- 150 fm line ^{1/} - 150 fm line ^{1/}		
-0		Josephine and thom					nav not be
oU		38o57.50' N. lat. ar that at least one Ca of which may be sp	umber of days of the e allowed to (1) land alifornia halibut is la ecies other than P	ne trip. Vessels pa nd up to 100 lbs/da anded and (2) land acific sanddabs, s	riticipating in the Call ay of groundfish with l up to 3,000 lbs/mo and sole, starry flour bject to the trip limits	ifornia halibut fish lout the ratio requi nth of flatfish, no r nder, rock sole, cu	rement, provided more than 300 lbs rlfin sole, or
50 51 PII	NK SHRIMP NON-GROUNDFISH TRAWL	38o57.50' N. lat. ar that at least one Ca of which may be sp California scorpionf	imber of days of the allowed to (1) lar elifornia halibut is lar ecies other than P ish (California scor	ne trip. Vessels pa nd up to 100 lbs/da anded and (2) land acific sanddabs, s	rticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour	ifornia halibut fish lout the ratio requi nth of flatfish, no r nder, rock sole, cu	ery south of rement, provided more than 300 lbs rlfin sole, or
	NK SHRIMP NON-GROUNDFISH TRAWL South	38o57.50' N. lat. ar that at least one Cc of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/trip grour canary rockfish, the managed under the count toward the p	mber of days of the allowed to (1) liftform half blu til a ecies other than P ish (California score to RCAs) October 31: Grorip. The following diffsh limits: lingcomyheads and ye e overall 500 lbs/c er day, per trip othe table above ditte allowed to the service of the service of the service of the table above different allowed to the service of the	ne trip. Vessels pand up to 100 lbs/dianded and (2) lanc aracific sanddabs, sepionfish is also sumundfish: 500 lbs/d sublimits also apod 300 lbs/ month lloweye rockfish ar lay and 1,500 lbs/dr other species-sp	rticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour	ifornia halibut fish tout the ratio requinth of flatfish, no rader, rock sole, cus and closures in line number of day d toward the oversize limit); sablefis. I other groundfishs. Landings of all cribed here and	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific
51 PII 52 / The I	South Rockfish Conservation Area is an area closed to fis	38o57.50' N. lat. ar that at least one Co of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/trip grour canary rockfish, the managed under the count toward the plimits described in of pink shrimp land whing by particular gear	imber of days of the allowed to (1) lat liferinia halibut is latected with the control of the co	ne trip. Vessels pand up to 100 lbs/dianded and (2) lanca (acific sanddabs, spionfish is also suundfish: 500 lbs/disublimits also apd 300 lbs/month lloweye rockfish ar lay and 1,500 lbs/or other species-spionot apply. The ansespecifically defined and up to 100 lbs/or other species-spionot apply. The ansespecifically defined spid lbs/or other specifically defined spid lbs/or other spid lbs/or o	rticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour object to the trip limits ay, multiplied by the ply and are counter (minimum 24 inch see PROHIBITED. A trip groundfish limits desimount of groundfish ad by latitude	ifornia halibut fish tout the ratio requinth of flatfish, no rader, rock sole, cus and closures in line number of day d toward the oversize limit); sablefis. I other groundfishs. Landings of all cribed here and	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific
7 The I	South Rockfish Conservation Area is an area closed to fis	38o57.50' N. lat. ar that at least one Co of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/trip grour can yr ockfish, the managed under the count toward the p limits described in of pink shrimp land shing by particular gear 4. This RCA is not defin	imber of days of the allowed to (1) lat littleform a halibut is late ecies other than P ish (California scotto RCAs) October 31: Grorip. The following diffish limits: lingoromyheads and ye e overall 500 lbs/c ber day, per trip of the table above died. types, bounded by lined by depth contour	ne trip. Vessels pand up to 100 lbs/dianded and (2) land and (2) land acific sanddabs, spionfish is also suundfish: 500 lbs/disublimits also apod 300 lbs/month lloweye rockfish ar lay and 1,500 lbs/or other species-spion of apply. The anes specifically defines (with the exception	rticipating in the Cal ay of groundfish with our to 3,000 lbs/mo and sole, starry flour bject to the trip limits ay, multiplied by the ply and are counted (minimum 24 inch so e PROHIBITED. A trip groundfish limits eecific sublimits desimount of groundfish ed by latitude of the 20-fm	ifornia halibut fish tout the ratio requinth of flatfish, no rader, rock sole, cus and closures in line number of day d toward the oversize limit); sablefis. I other groundfishs. Landings of all cribed here and	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific
7 The I and dep tha	South Rockfish Conservation Area is an area closed to fis a longitude coordinates set out at §\$ 660.71-660.7 bit contour boundary south of 42 N. lat.), and the depth contour. Vessels that are subject to f	38o57.50' N. lat. ar that at least one Ca of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/trip grour canary rockfish, the managed under the count toward the plimits described in of pink shrimp land shing by particular gear 4. This RCA is not defiboundary lines that de	imber of days of the allowed to (1) liferionia hallbut is lacies other than Pish (California score). October 31: Grorip. The following diffsh limits: lingcomyheads and ye e overall 500 lbs/c ver day, per trip of the table above died. Types, bounded by liferion to the table above died.	ne trip. Vessels pard up to 100 lbs/di- anded and (2) land- acific sanddabs, s pionfish is also su undfish: 500 lbs/d sublimits also ap sublimits also ap undfish: 500 lbs/ month lloweye rockfish ar lay and 1,500 lbs/ or other species-sp o not apply. The a	riticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour object to the trip limits ay, multiplied by the ply and are counter (minimum 24 inch se PROHIBITED. A trip groundfish limits desimount of groundfish of the 20-fm per or shallower	ifornia halibut fish tout the ratio requinth of flatfish, no rader, rock sole, cus and closures in line number of day d toward the oversize limit); sablefis. I other groundfishs. Landings of all cribed here and	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific
2 The I and deptha	South Rockfish Conservation Area is an area closed to fit I longitude coordinates set out at §§ 660.71-660.7 th contour boundary south of 42 N. lat.), and the in the depth contour. Vessels that are subject to F er than transiting.	38o57.50' N. lat. ar that at least one Co of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/trip grour canary rockfish, the managed under the count toward the plimits described in of pink shrimp land shing by particular gear 4. This RCA is not define boundary lines that de RCA restrictions may no	imber of days of the allowed to (1) lat liferinia halibut is latecies other than Pish (California scotto RCAs) October 31: Grorip. The following difish limits: lingoromyheads and yet e overall 500 lbs/cter day, per trip of the table above died. Types, bounded by lined by depth contour fine the RCA may clot this in the RCA may clot this in the RCA, or other allowed to the self-time to the RCA and the self-time the RCA and the sel	ne trip. Vessels pand up to 100 lbs/di- anded and (2) lanc- acific sanddabs, s- pionfish is also su- undfish: 500 lbs/di sublimits also ap dd 300 lbs/ month lloweye rockfish ar lay and 1,500 lbs/ or other species-sp o not apply. The a- nes specifically defin- rs (with the exception use areas that are decoperate in the RCA fo	rticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour object to the trip limits ay, multiplied by the ply and are counter (minimum 24 inch see PROHIBITED. A trip groundfish limits desimount of groundfish ed by latitude of the 20-fm per or shallower any purpose	ifornia halibut fish- tout the ratio requi inth of flatfish, no r nder, rock sole, cu is and closures in I is e number of day d toward the over size limit); sablefis ill other groundfist is. Landings of all cribed here and in landed may not	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific
7 The I and dep that oth / POP cur	South Rockfish Conservation Area is an area closed to fis I longitude coordinates set out at §§ 660.71-660.7 oth contour boundary south of 42 N. lat.), and the in the depth contour. Vessels that are subject to F er than transiting. I is included in the trip limits for minor slope rockfis nulative limits. Yellowtall rockfish is included in the	38o57.50' N. lat. ar that at least one Co of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/trip grour canary rockfish, the managed under the count toward the plimits described in of pink shrimp land shing by particular gear 4. This RCA is not define boundary lines that de RCA restrictions may not he. Blackgill rockfish his	imber of days of the allowed to (1) lat lifefrinia halibut is lateined to (1) lateined l	ne trip. Vessels pand up to 100 lbs/dianded and (2) lanc aracific sanddabs, sepionfish is also suundfish: 500 lbs/disublimits also apod 300 lbs/month lloweye rockfish ar lay and 1,500 lbs/or other species-sponot apply. The arms specifically defining (with the exception see areas that are deep operate in the RCA for the property of the species of the trip sub-limit within the trips ub-limit within the trips ub-limit within the species and the species of	rticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour bject to the trip limits ay, multiplied by the ply and are counted (minimum 24 inch se PROHIBITED. A trip groundfish limits desimount of groundfish ad by latitude of the 20-fm pper or shallower any purpose he minor slope rockfish he minor slope rockfish	ifornia halibut fish- tout the ratio requi inth of flatfish, no r nder, rock sole, cu is and closures in I is e number of day d toward the over size limit); sablefis ill other groundfist is. Landings of all cribed here and in landed may not	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific
/ The I and depth and oth / POF limiting I / "Other I / "Sha	South Rockfish Conservation Area is an area closed to fis d longitude coordinates set out at §§ 660.71-660.7 oth contour boundary south of 42 N. lat.), and then the depth contour. Vessels that are subject to fer than transiting. It is included in the trip limits for minor slope rockfismulative limits. Yellowtail rockfish is included in the trip limits of the first	38o57.50' N. lat. ar that at least one Co of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/trip grour canary rockfish, the managed under the count toward the p limits described in of pink shrimp land shing by particular gear 4. This RCA is not defit boundary lines that de RCA restrictions may no sh. Blackgill rockfish h: e trip limits for minor sh ter sole, curlfin sole, flaroundfish" (7)(i)(B)(1).	imber of days of the allowed to (1) lat ilifornia halibut is la ecies other than P ish (California scotto RCAs) October 31: Grorip. The following adfish limits: lingcomyheads and ye e overall 500 lbs/cer day, per trip other day, per trip other table above died. Types, bounded by lined by depth contour fine the RCA may contour fine the RCA and contour fine the RCA and contour fine the RCA and contour fine the RCA may contour fine the RCA fine the RCA may contour fine the RCA may contour fine the RCA fine t	ne trip. Vessels pand up to 100 lbs/dianded and (2) lance acific sanddabs, sepionfish is also suundfish: 500 lbs/disublimits also ap dd 300 lbs/month lloweye rockfish ar lay and 1,500 lbs/r other species-sponot apply. The acid and the specifically definits (with the exception observed the RCA for the RCA for the recommendation of the recommendation of the RCA for the recommendation of the RCA for the recommendation of the re	riticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour object to the trip limits ay, multiplied by the ply and are counter (minimum 24 inch see PROHIBITED. A trip groundfish limits desimount of groundfish ded by latitude of the 20-fm per or shallower ar any purpose a species specific trip	ifornia halibut fish- tout the ratio requi inth of flatfish, no r nder, rock sole, cu is and closures in I is e number of day d toward the over size limit); sablefis ill other groundfist is. Landings of all cribed here and in landed may not	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific
/ The I and dep than oth / POF cur limi / "Oth / "Sha / "Dee	South Rockfish Conservation Area is an area closed to fis at longitude coordinates set out at \$§ 660.71-660.7 obth contour boundary south of 42° N. lat.), and the in the depth contour. Vessels that are subject to Fer than transiting. Pe is included in the trip limits for minor slope rockfismulative limits. Yellowtail rockfish is included in thit. If it flaffish" are defined at § 660.11 and include but lidow Nearshore" are defined at § 660.11 under "Greper Nearshore" are	38o57.50' N. lat. ar that at least one Co of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/tr1,500 lbs/trip grour canary rockfish, the managed under the count toward the plimits described in of pink shrimp land thing by particular gear 4. This RCA is not define boundary lines that de RCA restrictions may no sh. Blackgill rockfish hie e trip limits for minor sh ter sole, curtifin sole, fla coundfish" (7)(i)(B(1)).	imber of days of the allowed to (1) lat ilifornia halibut is la ecies other than P ish (California scotto RCAs) October 31: Grorip. The following idfish limits: lingcormyheads and ye er overall 500 lbs/cotto et al. (1) et al. (2) et al. (2) et al. (3) et al. (4)	ne trip. Vessels pand up to 100 lbs/di- anded and (2) lanc- acific sanddabs, s- pionfish is also su- undfish: 500 lbs/di- sublimits also ap di- 300 lbs/ month lloweye rockfish ar- lay and 1,500 lbs/ or other species-sp- or ont apply. The a- nes specifically defin- rs (with the exception see areas that are de- operate in the RCA fo- trip sub-limit within to potted rockfish have anddab, rex sole, rock- anddab, rex sole, rock- anddab, rex sole, rock- anddab, rex sole, rock-	riticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour object to the trip limits ay, multiplied by the ply and are counter (minimum 24 inch see PROHIBITED. A trip groundfish limits desimount of groundfish ded by latitude of the 20-fm per or shallower ar any purpose a species specific trip	ifornia halibut fish- tout the ratio requi inth of flatfish, no r nder, rock sole, cu is and closures in I is e number of day d toward the over size limit); sablefis ill other groundfist is. Landings of all cribed here and in landed may not	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific
7 The Identity of the Identity of Identity	South Rockfish Conservation Area is an area closed to fis d longitude coordinates set out at §§ 660.71-660.7 oth contour boundary south of 42 N. lat.), and then the depth contour. Vessels that are subject to fer than transiting. It is included in the trip limits for minor slope rockfismulative limits. Yellowtail rockfish is included in the trip limits of the first	38o57.50' N. lat. ar that at least one Co of which may be sp California scorpionf GEAR (not subject Effective April 1 - exceed 1,500 lbs/trip grour canary rockfish, the managed under the count toward the plimits described in of pink shrimp land shing by particular gear 4. This RCA is not define boundary lines that de RCA restrictions may no be the properties of the pr	imber of days of the allowed to (1) lat ilifornia halibut is la ecies other than P ish (California scotto RCAs) October 31: Grorip. The following difish limits: lingcomyheads and ye e overall 500 lbs/c per day, per trip of the table above died. Types, bounded by lined by depth contour fine the RCA may det tish in the RCA or of ave a species specific left rockfish. Bronzes thead sole, Pacific se the South of 42° N. lat.	ne trip. Vessels pand up to 100 lbs/di- anded and (2) lanc- acific sanddabs, s- pionfish is also su- undfish: 500 lbs/di- sublimits also ap di- 300 lbs/ month lloweye rockfish ar- lay and 1,500 lbs/ or other species-sp- or ont apply. The a- nes specifically defin- rs (with the exception see areas that are de- operate in the RCA fo- trip sub-limit within to potted rockfish have anddab, rex sole, rock- anddab, rex sole, rock- anddab, rex sole, rock- anddab, rex sole, rock-	riticipating in the Cal ay of groundfish with up to 3,000 lbs/mo and sole, starry flour object to the trip limits ay, multiplied by the ply and are counter (minimum 24 inch see PROHIBITED. A trip groundfish limits desimount of groundfish ded by latitude of the 20-fm per or shallower ar any purpose a species specific trip	ifornia halibut fish- tout the ratio requi inth of flatfish, no r nder, rock sole, cu is and closures in I is e number of day d toward the over size limit); sablefis ill other groundfist is. Landings of all cribed here and in landed may not	ery south of rement, provided more than 300 lbs riffin sole, or ine 29). s of the trip, not to all 500 lbs/day and h 2,000 lbs/ month; a species taken are groundfish species the species-specific

[FR Doc. 2021-10822 Filed: 5/21/2021 8:45 am; Publication Date: 5/24/2021]